CLAIMS

What is claimed is:

- 1. A topical testosterone formulation comprising:
- a modified poloxamer lecithin organogel carrier having admixed therein,
 - a therapeutically effective amount of an arginine ingredient,
 - a testosterone aromatization inhibiting amount of a tocopherol ingredient; and
 - an amount of micronized testosterone of from about 0.5% w/w to about 25%

w/w, wherein application of from about 0.5 g to about 2 g of the formulation to the

skin, produces physiologic testosterone serum levels in an individual having sub-

physiologic testosterone serum levels.

2. The formulation of claim 1, peak serum testosterone concentrations are attained at about 24 to 36 hours after administration of the formulation.

15

10

- 3. The formulation of claim 1, wherein the amount of arginine ingredient is from about 0.1% w/w to about 20% w/w of the formulation.
- 4. The formulation of claim 3, wherein the amount of arginine ingredient is from about 5% w/w to about 10% w/w of the formulation.
 - 5. The formulation of claim 1, wherein the arginine ingredient is in a salt form.
- 6. The formulation of claim 5, wherein the arginine ingredient is L-arginine monochloride.
 - 7. The formulation of claim 1, wherein the amount of tocopherol is from about 0.1% w/w to about 20% w/w of the formulation.
- 8. The formulation of claim 7, wherein the amount of the tocopherol ingredient is from about 5% w/w to about 10% w/w of the formulation.
 - 9. The formulation of claim 1, wherein the tocopherol ingredient comprises alpha tocopherol.

- 10. The formulation of claim 1, wherein the tocopherol ingredient comprises gamma tocopherol.
- 5 11. The formulation of claim 1, further comprising an effective amount of dehydroepiandrosterone (DHEA).
 - 12. The formulation of claim 11, wherein the DHEA comprises dehydroepiandrosterone sulfate (DHEAS).

13. The formulation of claim 11, wherein the amount of DHEA is about from about 1% w/w to about 20% w/w of the formulation.

10

25

- 14. The formulation of claim 1, further comprising an effective amount of melatonin.
 - 15. The formulation of claim 14, wherein the amount of melatonin is from about 1% w/w to about 20% w/w of the formulation.
- 20 16. The formulation of claim 1 further comprising an effective amount of progesterone.
 - 17. The formulation of claim 16, wherein the amount of progesterone is from about 1% w/w to about 20% w/w of the formulation.

18. The formulation of claim 1 wherein further comprising an effective amount of oxytocin.

- 19. The formulation of claim 18, wherein the amount of oxytocin is from about 1% w/w to about 20% w/w of the formulation.
 - 20. The formulation of claim 1 wherein the amount of testosterone is from about 5% w/w to about 10% w/w, the amount of tocopherol is from about 5% w/w to about 10% w/w, and the amount of arginine is from about 5-10% of the formulation.